BULPAK



1050

→ Exclusive Security Management System Technologies

→ BULLPEN
→ BULLGUARD
→ BULLHORN
→ SECUREPAK





An unbeaten security level embedded in all our models



















Heavy-duty integral chassis





- Self-content submerged pump for spill-free maintenance
- Heavy duty **integral chassis** for a longer equipment's lifespan
- All mobiles parts secured 360-degree around
- Submerged hydaulic system for low-noise operations (70 dB)
- Spill-free friendly maintenance hydraulic oil reservoir
- Compaction door equiped with retaining dawgs

Optional systems:

- Automatic ejection system engaged once the full bale is compacted
- > Automatic interlocking system of bale ejector on door opening
- Block heater for hydraulic oil and control box for outdoor or winter operations
- Attachment guide for the bundle tie-up without needing an access to the rear of the baler
- > Sidewing attachment **compatible** with the use of twine or spindle



option Safe

Safe Side tie-up openings



option

Wire Guides



option

Block heater



option

BullHorn Ram fall-down protection







multi materials vertical baler



We are not the best by luck. We rethinked the design and pushed the evolution toward efficiency and safety.



standard feature



Intelligent and automated management system of all operation cycles; from compaction to ejection including automatic door-lock feature and continuous operator's protection.



Full automated system. Minimal training



Automatic start-up on door dosure



Automatic opening at the end of cycle



Last cycle and bale ready warning



Bale on-demand



Customizable compaction for different matters













138 3/4" 352.5 cm
























Loading door opening

25 x 60" 63.5 x 152.5 cm



















vertical baler

Optional Operation Security Systems: Security should not be an option. That's why we offer several options.



PATENT PENDING

An exclusive mobile security belt that defines a secure area for the entire ejection cycle.

150

400

Ø 800

1050

PATENT PENDING



An automatic barrier that opens at the ejection of a bale, protecting the operator from potential injury.

150 2 400

Ø 800

1050



PATENT PENDING

Unique security protection against ram fall-down at door opening

☑ 150 ☑ 400 ☑ 800 ☑ 1050

ECUREPAR



CSA Approved security control safety management system making impossible to bypass security operations.













